

**2003 International Energy Conservation Code®
Residential
WORKSHEET**

Facility Name _____ Address : _____ IECC Job No.: _____
 Project Name: _____ City : _____ Client Project No.: _____
 Owner: _____ Phone: _____ ICC No. _____ DATE _____
 _____ Fax: _____

PLAN REVIEW
 INSPECTION

Reviewed By: _____

NA = Not Applicable = Acceptable X = Unacceptable

**CHAPTER 1 ADMINISTRATION
SECTION 101 GENERAL**

		COMMENTS
101.1 Title. NAME OF JURISDICTION.....	✓	
101.2 Scope.....		
Exception:		
101.2.1 Exempt buildings.....		
101.2.1.1 Separated buildings.....		
101.2.1.2 Unconditioned buildings.....		
101.2.2 Applicability.....		
[EB] 101.2.2.1 Existing installations.....		
[EB] 101.2.2.2 Additions, alterations or repairs.....		
[EB] 101.2.2.3 Historic buildings.....		
[EB] 101.2.2.4 Change in occupancy.....		
101.3 Intent.....		
101.4 Compliance.....		
101.4.1 Residential buildings.....	NA	
101.4.1.1 Detached one- and two-family dwellings.....	NA	
101.4.1.2 Residential buildings, Group R-2, R-4 or townhouses.....	NA	

Facility Name _____ Address : _____ IECC Job No.: _____

101.4.2 Commercial buildings.....

SECTION 102 MATERIALS, SYSTEMS AND EQUIPMENT

102.1 General.....

102.2 Materials, equipment and systems installation.....

102.3 Maintenance information.....

102.4 Insulation installation.....

102.4.1 Protection of exposed foundation insulation.....

102.5 Identification.....

102.5.1 Building envelope insulation.....

102.5.1.1 Roof/ceiling insulation.....

102.5.2 Fenestration product rating, certification and labeling.....

TABLE 102.5.2(1) U-FACTOR DEFAULT TABLE FOR WINDOWS,

GLAZED DOORS AND SKYLIGHTS

TABLE 102.5.2(2) U-FACTOR DEFAULT TABLE

FOR NONGLAZED DOORS

TABLE 102.5.2(3) SHGC DEFAULT TABLE

FOR FENESTRATION

102.5.3 Duct distribution systems insulation.....

SECTION 103 ALTERNATE MATERIALS—METHOD OF CONSTRUCTION,

DESIGN OR INSULATING SYSTEMS

103.1 General.....

SECTION 104 CONSTRUCTION DOCUMENTS

104.1 General.....

Exceptions: 1.....

Exceptions: 2.....

104.2 Information on construction documents.....

SECTION 105 INSPECTIONS.....

Facility Name _____ Address : _____ IECC Job No.: _____

105.1 General.....	
105.2 Approvals required.....	
105.3 Final inspection.....	
105.4 Reinspection.....	
SECTION 106 VALIDITY 106.1 General.....	NA

SECTION 107 REFERENCED STANDARDS

107.1 General.....	
107.2 Conflicting requirements.....	

CHAPTER 2 DEFINITIONS

CHAPTER 3 DESIGN CONDITIONS

SECTION 301 GENERAL

SECTION 302 THERMAL DESIGN PARAMETERS

302.1 Exterior design conditions.....	
TABLE 302.1 EXTERIOR DESIGN CONDITIONS	

Winter ^a , Design Dry-bulb (°F)	
Summer ^a , Design Dry-bulb (°F)	
Summer ^a , Design Wet-bulb (°F)	
Degree days heating ^d	
Degree days cooling ^d	Climate zone ^e

CHAPTER 4 RESIDENTIAL BUILDING DESIGN BY SYSTEMS ANALYSIS AND DESIGN OF BUILDINGS UTILIZING RENEWABLE ENERGY SOURCES

SECTION 401 GENERAL401.1 Scope.....

SECTION 402 SYSTEMS ANALYSIS

402.1 Analysis procedure.....	
402.2 Energy analysis.....	
Exception: Chapters 5 and 6.....	
402.2.1 Standard design.....	
402.2.1.1 Exterior walls.....	
TABLE 402.2.1.1 STANDARD DESIGN WALL ASSEMBLY U-FACTORS (U _w)	
402.2.1.2 Fenestration U-factor.....	

HEATING DEGREE DAYS ^e	U _w (air to air) ^b
HEATING DEGREE DAYS ^a	
U _g FOR SECTION 502.2.1.1 AND U _t FOR SECTION 502.2.3.1 (air to ai	

Facility Name _____ Address : _____ IECC Job No.: _____

402.2.1.3 Window area.....	
402.2.1.4 Skylights.....	
402.2.2 Proposed design.....	
402.2.2.1 Orientation for groups of buildings.....	
402.2.3 Input values for residential buildings.....	
402.2.3.1 Glazing systems.....	
402.2.3.1.1 Orientation, standard design.....	
402.2.3.1.2 Exterior shading, standard design.....	
402.2.3.1.3 Fenestration system solar heat gain coefficient, standard design.....	
402.2.3.1.4 Interior shading, standard design and proposed design.....	
402.2.3.2 Heat storage (thermal mass).....	
402.2.3.3 Building thermal envelope—surface areas and volume.....	
402.2.3.3.1 Floors, walls, ceiling.....	
402.2.3.3.2 Foundation and floor type.....	
402.2.3.3.3 Doors.....	
402.2.3.3.4 Building volume.....	
402.2.3.4 Heating and cooling controls.....	
TABLE 402.2.3.4 HEATING AND COOLING CONTROLS	
402.2.3.5 Internal heat gains.....	
402.2.3.6 Domestic hot water (calculate, then constants).....	
402.2.3.7 Site weather data (constants).....	
402.2.3.8 Forced-air distribution system loss factors.....	
402.2.3.9 Air infiltration.....	
402.2.3.10 Foundation walls.....	
402.2.3.11 Heating and cooling system equipment efficiency, standard design.....	

Facility Name _____ Address : _____ IECC Job No.: _____

Exception:.....	
402.3 Design.....	
402.3.1 Units of energy.....	
402.3.2 Equivalent energy units.....	
402.3.3 Site energy.....	
402.4 Analysis procedure.....	
402.4.1 Load calculations.....	
402.4.2 Simulation details.....	
402.5 Calculation procedure.....	
402.5.1 Design requirements.....	
402.5.2 Climatic data.....	
402.5.3 Building data.....	
402.5.4 Operational characteristics.....	
402.5.5 Mechanical equipment.....	
402.5.6 Building loads.....	
402.5.7 Use of approved calculation tool.....	
402.6 Documentation.....	
Exception:.....	

CHAPTER 5

RESIDENTIAL BUILDING DESIGN BY COMPONENT PERFORMANCE APPROACH

SECTION 501 GENERAL 501.1 Scope.....

SECTION 502 BUILDING ENVELOPE REQUIREMENTS

502.1 General requirements.....	
502.1.1 Moisture control.....	
Exceptions: 1, 2, or 3.....	
502.1.2 Masonry veneer.....	
502.1.3 Recessed lighting fixtures 1. 2. or 3.....	

Facility Name _____ Address : _____ IECC Job No.: _____

502.1.4 Air leakage.....	
502.1.4.1 Window and door assemblies.....	
Exception:	
TABLE 502.1.4.1 ALLOWABLE AIR LEAKAGE RATES ^{a, b}	
502.1.4.2 Caulking and sealants.....	
502.1.5 Fenestration solar heat gain coefficient.....	
502.2 Heating and cooling criteria.....	
TABLE 502.2 HEATING AND COOLING CRITERIA ^a	
502.2.1 Compliance by performance on an individual component basis	
502.2.1.1 Walls.....	
502.2.1.1.1 Steel stud framed walls.....	
Exception:	
TABLE 502.2.1.1.1 F° VALUES FOR WALL SECTIONS WITH STEEL STUDS PARALLEL PATH CORRECTION FACTORS	
FIGURE 502.2(1) U _o -FACTORS—WALLS: RESIDENTIAL BUILDINGS	
502.2.1.1.2 Mass walls.....	
TABLE 502.2.1.1.2(1) REQUIRED U _w FOR WALL WITH A HEAT CAPACITY EQUAL TO OR EXCEEDING 6 Btu/ft ² . ° F WITH INSULATION PLACED ON THE EXTERIOR OF THE WALL MASS	
TABLE 502.2.1.1.2(2) REQUIRED U _w FOR WALL WITH A HEAT CAPACITY EQUAL TO OR EXCEEDING 6 Btu/ft ² . ° F WITH INSULATION PLACED ON THE INTERIOR OF THE WALL MASS	
TABLE 502.2.1.1.2(3) REQUIRED U _w FOR WALL WITH A HEAT CAPACITY EQUAL TO OR EXCEEDING 6 Btu/ft ² . ° F WITH INTEGRAL INSULATION (INSULATION AND MASS MIXED, SUCH AS A LOG WALL)	
502.2.1.2 Roof/ceiling.....	
502.2.1.2.1 Skylights.....	

Facility Name _____

Address : _____

IECC Job No.: _____

FIGURE 502.2(2) U _o -FACTORS—ROOF/CEILINGS	
TABLE 502.2.1.2	
CORRECTION FACTORS (F _{cor}) FOR ROOF/CEILING ASSEMBLIES	
502.2.1.3 Floors over unheated spaces.....	
Exceptions:	
TABLE 502.2.1.3	
CORRECTION FACTORS (F _{cor}) FOR STEEL FLOOR ASSEMBLIES	
502.2.1.4 Slab-on-grade floors.....	
502.2.1.5 Crawl space walls.....	
502.2.1.6 Basement walls.....	
502.2.2 Compliance by total building envelope performance.....	
502.2.3 Compliance by acceptable practice on an individual component basis	
502.2.3.1 Walls.....	
Exceptions:	
502.2.3.2 Roof/ceiling.....	
Exceptions:	
502.2.3.3 Floors over unheated spaces.....	
Exceptions:	
502.2.3.4 Slab-on-grade floors.....	
502.2.3.5 Crawl space walls.....	
502.2.3.6 Basement walls.....	
502.2.4 Compliance by prescriptive specification on an individual component basis.....	
502.2.4.1 Walls.....	
502.2.4.2 Wood construction only.....	
502.2.4.3 Window area.....	
502.2.4.4 Window area, exempt.....	

Facility Name _____

Address : _____

IECC Job No.: _____

TABLE 502.2.4(1) PRESCRIPTIVE BUILDING ENVELOPE REQUIREMENTS, DETACHED ONE- AND TWO-FAMILY DWELLINGS WINDOW AREA 8 PERCENT OF GROSS EXTERIOR WALL AREA
TABLE 502.2.4(2) PRESCRIPTIVE BUILDING ENVELOPE REQUIREMENTS, DETACHED ONE- AND TWO-FAMILY DWELLINGS WINDOW AREA 8 PERCENT OF GROSS EXTERIOR WALL AREA
TABLE 502.2.4(3) PRESCRIPTIVE BUILDING ENVELOPE REQUIREMENTS, DETACHED ONE- AND TWO-FAMILY DWELLINGS WINDOW AREA 15 PERCENT OF GROSS EXTERIOR WALL AREA
TABLE 502.2.4(4) PRESCRIPTIVE BUILDING ENVELOPE REQUIREMENTS, DETACHED ONE- AND TWO-FAMILY DWELLINGS WINDOW AREA 18 PERCENT OF GROSS EXTERIOR WALL AREA
TABLE 502.2.4(5) PRESCRIPTIVE BUILDING ENVELOPE REQUIREMENTS, DETACHED ONE- AND TWO-FAMILY DWELLINGS WINDOW AREA 20 PERCENT OF GROSS EXTERIOR WALL AREA
TABLE 502.2.4(6) PRESCRIPTIVE BUILDING ENVELOPE REQUIREMENTS, DETACHED ONE- AND TWO-FAMILY DWELLINGS WINDOW AREA 20 PERCENT OF GROSS EXTERIOR WALL AREA
TABLE 502.2.4(7) PRESCRIPTIVE BUILDING ENVELOPE REQUIREMENTS, GROUP R-2, R-4 OR TOWNHOUSE RESIDENTIAL BUILDINGS WINDOW AREA 20 PERCENT OF GROSS EXTERIOR WALL AREA
TABLE 502.2.4(8) PRESCRIPTIVE BUILDING ENVELOPE REQUIREMENTS, GROUP R-2, R-4 OR TOWNHOUSE RESIDENTIAL BUILDINGS WINDOW AREA 25 PERCENT OF GROSS EXTERIOR WALL AREA
TABLE 502.2.4(9) PRESCRIPTIVE BUILDING ENVELOPE REQUIREMENTS, GROUP R-2, R-4 OR TOWNHOUSE RESIDENTIAL BUILDINGS WINDOW AREA 30 PERCENT OF GROSS EXTERIOR WALL AREA

Facility Name _____ Address : _____ IECC Job No.: _____

502.2.4.5 Truss/rafter construction.....	
502.2.4.6 Doors.....	
502.2.4.7 Ceilings.....	
502.2.4.8 Floors.....	
502.2.4.9 Basement walls.....	
502.2.4.10 Unheated slabs.....	
502.2.4.11 Heated slabs.....	
502.2.4.12 Crawl space walls.....	
502.2.4.13 Tables not applicable.....	
502.2.4.14 Climates greater than 13,000 HDD.....	
502.2.4.15 Fenestration solar heat gain coefficient.....	
502.2.4.16 Steel-framed wall construction.....	
TABLE 502.2.4.16(1)	
16-INCH O.C. STEEL-FRAMED WALL EQUIVALENT R-VALUES	
TABLE 502.2.4.16(2)	
24-INCH O.C. STEEL-FRAMED WALL EQUIVALENT R-VALUES	
502.2.4.17 High-mass wall construction.....	
TABLE 502.2.4.17(1) HIGH-MASS WALL EQUIVALENT R-VALUES INSULATION PLACED ON THE EXTERIOR OF THE WALL OR WITH INTEGRAL INSULATION	
TABLE 502.2.4.17(2) HIGH-MASS WALL EQUIVALENT R-VALUES INSULATION PLACED ON THE INTERIOR OF THE WALL	
502.2.4.18 Steel-framed roof/ceiling construction.....	
TABLE 502.2.4.18(1) TRUSS TYPE COLD-FORMED STEEL ROOF/CEILING EQUIVALENT R-VALUES ^a	
502.2.4.19 Steel-framed floor construction.....	
TABLE 502.2.4.18(2) C-SHAPED COLD-FORMED STEEL ROOF/CEILING EQUIVALENT U _f -FACTORS ^a	

TABLE 502.2.4.19 C-SHAPED COLD-FORMED STEEL FLOOR EQUIVALENT U-FACTORS ⁸	
502.2.5 Prescriptive path for additions and window replacements..... Exception:	
TABLE 502.2.5 PRESCRIPTIVE ENVELOPE COMPONENT CRITERIA ADDITIONS TO AND REPLACEMENT WINDOWS FOR EXISTING DETACHED ONE- AND TWO-FAMILY DWELLINGS	
SECTION 503 BUILDING MECHANICAL SYSTEMS AND EQUIPMENT	
503.1 General.....	
503.2 Mechanical equipment efficiency.....	
TABLE 503.2 MINIMUM EQUIPMENT PERFORMANCE	
503.3 HVAC systems.....	
[M] 503.3.1 Load calculations.....	
503.3.2 Temperature and humidity controls.....	
503.3.2.1 System controls.....	
503.3.2.2 Thermostatic control capabilities..... Exceptions: 1. & 2.	
503.3.2.3 Heat pump auxiliary heat.....	
503.3.2.4 Humidistat.....	
503.3.3 Distribution system, construction and insulation.....	
503.3.3.1 Piping insulation..... Exceptions:	
TABLE 503.3.3.1 MINIMUM PIPE INSULATION (thickness in inches)	
503.3.3.2 Other insulation thicknesses.....	
503.3.3.3 Duct and plenum insulation..... Exceptions:	
TABLE 503.3.3.3 MINIMUM DUCT INSULATION ⁹	

Facility Name _____ Address : _____ IECC Job No.: _____

[M] 503.3.3.4 Duct construction.....	
503.3.3.4.1 High-and medium-pressure duct systems.....	
503.3.3.4.2 Low-pressure duct systems.....	
Exception:	
503.3.3.4.3 Sealing required.....	
503.3.3.5 Mechanical ventilation.....	
503.3.3.6 Transport energy.....	
503.3.3.7 Balancing.....	

SECTION 504 SERVICE WATER HEATING

504.1 Scope.....	
504.2 Water heaters, storage tanks and boilers.....	
504.2.1 Performance efficiency.....	
Exception:	
TABLE 504.2.1 MINIMUM PERFORMANCE OF WATER-HEATING EQUIPMENT	
504.2.2 Combination service water-heating/space-heating boilers.....	
Exception:	
504.3 Swimming pools.....	
504.3.1 On-off switch.....	
504.3.2 Pool covers.....	
Exception:	
504.3.3 Time clocks.....	
504.4 Hot water system controls.....	
504.5 Pipe insulation.....	
Exception:	

TABLE 504.5 MINIMUM PIPE INSULATION (thickness in inches)	
504.6 Conservation of hot water.....	
504.6.1 Showers.....	

Facility Name _____ Address : _____ IECC Job No.: _____

504.7 Heat traps.....

SECTION 505 ELECTRICAL POWER AND LIGHTING

505.1 Electrical energy consumption.....

505.2 Lighting power budget.....

Exception:

CHAPTER 6

SIMPLIFIED PRESCRIPTIVE REQUIREMENTS FOR DETACHED ONE- AND

TWO-FAMILY DWELLINGS AND GROUP R-2, R-4 OR

TOWNHOUSE RESIDENTIAL BUILDINGS

SECTION 601 GENERAL

601.1 Scope.....

Exception:

601.2 Compliance.....

601.2.1 Residential buildings, detached one- and twofamily dwellings.....

601.2.2 Residential buildings, Groups R-2, R-4 or townhouses.....

601.3 Materials and equipment.....

601.3.1 Insulation.....

601.3.2 Fenestration.....

601.3.2.1 Default fenestration performance.....

601.3.2.2 Air leakage.....

601.3.3 Maintenance.....

SECTION 602 BUILDING ENVELOPE

602.1 Thermal performance criteria.....

TABLE 602.1 SIMPLIFIED PRESCRIPTIVE BUILDING

ENVELOPE THERMAL COMPONENT CRITERIA

MINIMUM REQUIRED PERFORMANCE (U-FACTOR AND R-VALUE)















602.1.1 Exterior walls.....

Facility Name _____ IECC Job No.: _____

Address : _____

602.1.1.1 Mass walls.....	
TABLE 602.1.1.1(1)	
MASS WALL PRESCRIPTIVE BUILDING ENVELOPE REQUIREMENTS	
602.1.1.2 Steel-frame walls.....	
TABLE 602.1.1.1(2) MASS ASSEMBLY R-VALUES	
TABLE 602.1.1.2 STEEL-FRAME WALL MINIMUM PERFORMANCE REQUIREMENTS (R-VALUE)	
602.1.2 Ceilings.....	
602.1.2.1 Steel-framed ceiling.....	
TABLE 602.1.2.1(1)	
MAXIMUM COLD-FORMED STEEL ROOF/CEILING TRUSS U_f -FACTORS	
TABLE 602.1.2.1(2)	
COLD-FORMED STEEL ROOF/CEILING TRUSS U_f -FACTORS	
TABLE 602.1.2.1(3)	
MAXIMUM C-SHAPED, COLD-FORMED STEEL ROOF/CEILING U_f -FACTORS	
TABLE 602.1.2.1(4)	
C-SHAPED, COLD-FORMED STEEL ROOF/CEILING U_f -FACTORS ^a	
602.1.3 Opaque doors.....	
602.1.4 Floor.....	
Exception:	
602.1.4.1 Steel-framed floors.....	
TABLE 602.1.4.1(1)	
MAXIMUM C-SHAPED, COLD-FORMED STEEL FLOOR U_f -FACTORS	
TABLE 602.1.4.1(2)	
C-SHAPED, COLD-FORMED STEEL FLOOR U_f -FACTORS ^a	
602.1.5 Basement walls.....	
602.1.6 Slab-on-grade floors.....	

Facility Name _____ Address : _____ IECC Job No.: _____

602.1.7 Crawl space walls.....		
602.1.8 Masonry veneer.....		
602.1.9 Protection.....		
602.1.10 Caulking, sealants and gasketing.....		
602.1.11 Moisture control.....		
602.1.12 Recessed lighting fixtures.....		
602.2 Maximum solar heat gain coefficient for fenestration products.....		
602.3 Fenestration exemption.....		
602.4 Replacement fenestration.....		
Exception:		
SECTION 603 MECHANICAL SYSTEMS		
603.1 Heating and air-conditioning equipment and appliances.....		HVAC and appliances shall comply with the applicable requirements of Section 503.
SECTION 604 SERVICE WATER HEATING		
604.1 Water-heating equipment and appliances.....		Water-heating equipment and appliances shall comply with the applicable requirements of Section 504.
SECTION 605 ELECTRICAL POWER AND LIGHTING		
605.1 Electrical energy consumption.....		In residential buildings having individual dwelling units, provisions shall be made to determine the electrical energy consumed by each tenant by separately metering individual dwelling units.
CHAPTER 7 BUILDING DESIGN FOR ALL COMMERCIAL BUILDINGS		
CHAPTER 8		
DESIGN BY ACCEPTABLE PRACTICE FOR COMMERCIAL BUILDINGS		
CHAPTER 9 CLIMATE MAPS		
SECTION 901 GENERAL		
901.1 Scope.....		Chapters 5, 6 and 8 Circle chapter number.
SECTION 902 CLIMATE ZONES		
902.1 General.....		Figures 902.1()
CHAPTER 10 REFERENCED STANDARDS		

